

Wissenschaft & Literatur memodio Version 3

Datum: 16.04.2025

Alle Inhalte und Behandlungsprinzipien, auf denen die memodio Therapie aufbaut, stammen aus der Wissenschaft, aus Leitfäden oder Empfehlungen von Fachgesellschaften. Im Folgenden findest du einen Überblick über die Quellen, auf denen die Inhalte von memodio basieren. Hinter jeder wissenschaftlichen Quelle steht eine veröffentlichte wissenschaftliche Untersuchung, die mit wissenschaftlichen Kriterien die Güte der Ergebnisse sicherstellen soll.

memodio Variante MCI & Milde Demenz:

Bae, Seongryu, et al. "The effect of a multicomponent intervention to promote community activity on cognitive function in older adults with mild cognitive impairment: a randomized controlled trial." Complementary therapies in medicine 42 (2019): 164-169.

Barisch-Fritz, Bettina, et al. "Effects of a 16-week multimodal exercise program on physical performance in individuals with dementia: a multicenter randomized controlled trial." Journal of geriatric physical therapy 45.1 (2022): 3-24.

Brodaty, Henry, et al. "An online multidomain lifestyle intervention to prevent cognitive decline in atrisk older adults: a randomized controlled trial." Nature Medicine (2025): 1-9.

Chandler, Melanie J., et al. "Comparative effectiveness of behavioral interventions on quality of life for older adults with mild cognitive impairment: a randomized clinical trial." JAMA network open 2.5 (2019): e193016-e193016.

Chatterjee, Prasun, et al. "Effect of Multimodal Intervention (computer based cognitive training, diet and exercise) in comparison to health awareness among older adults with Subjective Cognitive Impairment (MISCI-Trial)—A Pilot Randomized Control Trial." PloS one 17.11 (2022): e0276986.

DGN e. V. & DGPPN e. V. (Hrsg.) S3-Leitlinie Demenzen, Version 4.0, 8.11.2023, verfügbar unter: https://register.awmf.org/de/leitlinien/detail/038-013

Fan, Meixiang, et al. "Effect of Multimodal Intervention in Individuals with Mild Cognitive Impairment: A Randomized Clinical Trial in Shanghai." Journal of Alzheimer's Disease 101.1 (2024): 235-248.

Han, Ji Won, et al. "Multimodal cognitive enhancement therapy for patients with mild cognitive impairment and mild dementia: a multi-center, randomized, controlled, double-blind, crossover trial." Journal of Alzheimer's disease 55.2 (2016): 787-796.

Jennings, Amy, et al. "Effectiveness and feasibility of a theory-informed intervention to improve Mediterranean diet adherence, physical activity and cognition in older adults at risk of dementia: the MedEx-UK randomised controlled trial." BMC medicine 22.1 (2024): 600.

Kulmala, Jenni, et al. "The effect of multidomain lifestyle intervention on daily functioning in older people." Journal of the American Geriatrics Society 67.6 (2019): 1138-1144.

Lee, W-J., et al. "Clinical efficacy of multidomain interventions among multimorbid older people stratified by the status of physio-cognitive declines: a secondary analysis from the randomized controlled trial for healthy aging." The Journal of nutrition, health and aging 26.10 (2022): 909-917.

Liang, Chih-Kuang, et al. "Efficacy of multidomain intervention against physio-cognitive decline syndrome: a cluster-randomized trial." Archives of gerontology and geriatrics 95 (2021): 104392.

Liu, Xiaomei, et al. "Cognitive benefit of a multidomain intervention for older adults at risk of cognitive decline: a cluster-randomized controlled trial." The American Journal of Geriatric Psychiatry 31.3 (2023): 197-209.

Livingston, Gill, et al. "Dementia prevention, intervention, and care: 2024 report of the Lancet standing Commission." The Lancet 404.10452 (2024): 572-628.



McMaster, Mitchell, et al. "Lifestyle risk factors and cognitive outcomes from the multidomain dementia risk reduction randomized controlled trial, body brain life for cognitive decline (BBL-CD)." Journal of the American Geriatrics Society 68.11 (2020): 2629-2637.

Meng, Xiangfei, et al. "Multidomain interventions based on a life-course model to prevent dementia in at-risk Chinese older adults: A randomized controlled trial." International Journal of Nursing Studies 152 (2024): 104701.

Montero-Odasso, Manuel, et al. "Effects of exercise alone or combined with cognitive training and vitamin D supplementation to improve cognition in adults with mild cognitive impairment: a randomized clinical trial." JAMA Network Open 6.7 (2023): e2324465-e2324465.

Moon, So Young, et al. "South Korean study to prevent cognitive impairment and protect brain health through multidomain interventions via face-to-face and video communication platforms in mild cognitive impairment (SUPERBRAIN-MEET): A randomized controlled trial." Alzheimer's & Dementia 21.2 (2025): e14517.

"Randomized trial on the effects of a combined physical/cognitive training in aged MCI subjects: the Train the Brain study." Scientific Reports 7, no. 1 (2017): 39471.

Ngandu, Tiia, et al. "A 2 year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): a randomised controlled trial." The Lancet 385.9984 (2015): 2255-2263.

Oki, Yutaro, et al. "An 18-month multimodal intervention trial for preventing dementia: J-MINT PRIME Tamba." Alzheimer's & Dementia 20.10 (2024): 6972-6983.

Rosenberg, Anna, et al. "Multidomain lifestyle intervention benefits a large elderly population at risk for cognitive decline and dementia regardless of baseline characteristics: The FINGER trial." Alzheimer's & Dementia 14.3 (2018): 263-270.

Straubmeier, Melanie, et al. "Non-pharmacological treatment in people with cognitive impairment: results from the randomized controlled german day care study." Deutsches Ärzteblatt International 114.48 (2017): 815.

Vaskivuo, Laura, et al. "Subjective Memory Complaints and the Effect of a Multidomain Lifestyle Intervention on Cognition: The FINGER Trial." The Journals of Gerontology, Series B: Psychological Sciences and Social Sciences 80.1 (2025): gbae179.

Wang, Pengfei, et al. "Effects of a multicomponent intervention with cognitive training and lifestyle guidance for older adults at risk of dementia: a randomized controlled trial." The Journal of Clinical Psychiatry 85.2 (2024): 54825.

World Health Organization. "Risk reduction of cognitive decline and dementia: WHO guidelines." (2019): 96-96.

Yang, Qiao-hong, et al. "Effects of a multicomponent intervention to slow mild cognitive impairment progression: A randomized controlled trial." International journal of nursing studies 125 (2022): 104110.

Young, Daniel Kim-Wan. "Multicomponent intervention combining a cognitive stimulation group and tai chi to reduce cognitive decline among community-dwelling older adults with probable dementia: a multi-center, randomized controlled trial." Dementia 19.6 (2020): 2073-2089.

Yu, Hong, et al. "Effects of multi-domain cognitive-motor training in older adults with amnestic mild cognitive impairment: A randomized controlled trial." Geriatric Nursing 61 (2025): 64-72.



memodio Variante Senilität / Frailty:

Apóstolo, João, et al. "Effectiveness of a combined intervention on psychological and physical capacities of frail older adults: a cluster randomized controlled trial." International Journal of Environmental Research and Public Health 16.17 (2019): 3125.

Bae, Seongryu, et al. "The effect of a multicomponent intervention to promote community activity on cognitive function in older adults with mild cognitive impairment: a randomized controlled trial." Complementary therapies in medicine 42 (2019): 164-169.

Beishuizen CR, Stephan BC, van Gool WA, et al. Web-Based Interventions Targeting Cardiovascular Risk Factors in Middle-Aged and Older People: A Systematic Review and Meta-Analysis. J Med Internet Res. 2016;18(3):e55. Published 2016 Mar 11. doi:10.2196/jmir.5218

Bernabei, Roberto, et al. "Multicomponent intervention to prevent mobility disability in frail older adults: randomised controlled trial (SPRINTT project)." Bmj 377 (2022).

de Souto Barreto, Philipe, et al. "Associations of multidomain lifestyle intervention with frailty: secondary analysis of a randomized controlled trial." The American Journal of Medicine 131.11 (2018): 1382-e7.

Development of Guidelines on the Primary Prevention of Frailty in Community-Dwelling Older Adults: Ki, Seungkook, et al. "Development of guidelines on the primary prevention of frailty in community-dwelling older adults." Annals of geriatric medicine and research 25.4 (2021): 237.

Heffernan M, Andrews G, Fiatarone Singh MA, et al. Maintain Your Brain: Protocol of a 3-Year Randomized Controlled Trial of a Personalized Multi-Modal Digital Health Intervention to Prevent Cognitive Decline Among Community Dwelling 55 to 77 Year Olds. J Alzheimers Dis. 2019;70(s1):S221-S237. doi:10.3233/JAD-180572

Hsieh, Tsung-Jen, et al. "Individualized home-based exercise and nutrition interventions improve frailty in older adults: a randomized controlled trial." International Journal of Behavioral Nutrition and Physical Activity 16 (2019): 1-15.

Huguet, L. Gené, et al. "Pre frail 80: multifactorial intervention to prevent progression of pre-frailty to frailty in the elderly." The journal of nutrition, health and aging 22.10 (2018): 1266-1274.

Interventions to prevent, delay or reverse frailty in older people: a journey towards clinical guidelines: Marcucci, Maura, et al. "Interventions to prevent, delay or reverse frailty in older people: a journey towards clinical guidelines." BMC medicine 17 (2019): 1-11.

Jongstra S, Beishuizen C, Andrieu S, et al. Development and Validation of an Interactive Internet Platform for Older People: The Healthy Ageing Through Internet Counselling in the Elderly Study. Telemed J E Health. 2017;23(2):96-104. doi:10.1089/tmj.2016.0066

Kulmala, Jenni, et al. "The effect of multidomain lifestyle intervention on daily functioning in older people." Journal of the American Geriatrics Society 67.6 (2019): 1138-1144.

Kwon, Jinhee, et al. "Effects of a combined physical training and nutrition intervention on physical performance and health-related quality of life in prefrail older women living in the community: a randomized controlled trial." Journal of the American Medical Directors Association 16.3 (2015): 263-e1.

Lee, W-J., et al. "Clinical efficacy of multidomain interventions among multimorbid older people stratified by the status of physio-cognitive declines: a secondary analysis from the randomized controlled trial for healthy aging." The Journal of nutrition, health and aging 26.10 (2022): 909-917.

Liang, C-K., et al. "Roles of baseline intrinsic capacity and its subdomains on the overall efficacy of multidomain intervention in promoting healthy aging among community-dwelling older adults: analysis from a nationwide cluster-randomized controlled trial." The journal of prevention of Alzheimer's disease 11.2 (2024): 356-365.

Liang, Chih-Kuang, et al. "Efficacy of multidomain intervention against physio-cognitive decline syndrome: a cluster-randomized trial." Archives of gerontology and geriatrics 95 (2021): 104392.



Lu, Yanxia, et al. "Assessment of sarcopenia among community-dwelling at-risk frail adults aged 65 years and older who received multidomain lifestyle interventions: a secondary analysis of a randomized clinical trial." JAMA network open 2.10 (2019): e1913346-e1913346.

Nutrition and Physical Activity Clinical Practice Guidelines for Older Adults Living with Frailty: Lorbergs, A. L., et al. "Nutrition and physical activity clinical practice guidelines for older adults living with frailty." The Journal of frailty & aging 11.1 (2022): 3-11.

Park, Hyuntae, et al. "Combined intervention of physical activity, aerobic exercise, and cognitive exercise intervention to prevent cognitive decline for patients with mild cognitive impairment: a randomized controlled clinical study." Journal of clinical medicine 8.7 (2019): 940.

Peña-Longobardo, Luz María, et al. "Economic evaluation of a multimodal intervention in pre-frail and frail older people with diabetes mellitus: the MID-FRAIL project." Expert Review of Pharmacoeconomics & Outcomes Research 21.1 (2021): 111-118.

Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management: Dent, E., et al. "Physical frailty: ICFSR international clinical practice guidelines for identification and management." The journal of nutrition, health & aging 23 (2019): 771-787.

Rainero, Innocenzo, et al. "The My Active and Healthy Aging ICT platform prevents quality of life decline in older adults: a randomised controlled study." Age and ageing 50.4 (2021): 1261-1267.

Rodriguez-Mañas, Leocadio, et al. "Effectiveness of a multimodal intervention in functionally impaired older people with type 2 diabetes mellitus." Journal of cachexia, sarcopenia and muscle 10.4 (2019): 721-733.

Romera-Liebana, Laura, et al. "Effects of a primary care-based multifactorial intervention on physical and cognitive function in frail, elderly individuals: a randomized controlled trial." The Journals of Gerontology: Series A 73.12 (2018): 1668-1674.

Rosado, Hugo, et al. "Effects of two 24-week multimodal exercise programs on reaction time, mobility, and dual-task performance in community-dwelling older adults at risk of falling: a randomized controlled trial." BMC public health 21 (2021): 1-11.

Serra-Prat, Maria, et al. "Effectiveness of an intervention to prevent frailty in pre-frail community-dwelling older people consulting in primary care: a randomised controlled trial." Age and ageing 46.3 (2017): 401-407.

Sipilä, Sarianna, et al. "Effects of physical and cognitive training on gait speed and cognition in older adults: A randomized controlled trial." Scandinavian Journal of Medicine & Science in Sports 31.7 (2021): 1518-1533.

Tan, L. F., et al. "Impact of exercise and cognitive stimulation therapy on physical function, cognition and muscle mass in pre-frail older adults in the primary care setting: a cluster randomized controlled trial." The Journal of nutrition, health and aging 27.6 (2023): 438-447.

Travers, John, et al. "Building resilience and reversing frailty: a randomised controlled trial of a primary care intervention for older adults." Age and ageing 52.2 (2023): afad012.

van den Helder, Jantine, et al. "Blended home-based exercise and dietary protein in community-dwelling older adults: a cluster randomized controlled trial." Journal of cachexia, sarcopenia and muscle 11.6 (2020): 1590-1602.

van Dongen, Ellen JI, et al. "Effectiveness of a diet and resistance exercise intervention on muscle health in older adults: ProMuscle in practice." Journal of the American Medical Directors Association 21.8 (2020): 1065-1072.

Van Lieshout, M. R. J., et al. "The effectiveness of a PRoactive multicomponent intervention program on disability in independently living older people: a randomized controlled trial." The Journal of nutrition, health and aging 22.9 (2018): 1051-1059.

Villareal, Dennis T., et al. "Aerobic or resistance exercise, or both, in dieting obese older adults." New England Journal of Medicine 376.20 (2017): 1943-1955.



Yu, Ruby, et al. "Effects of a multicomponent frailty prevention program in prefrail community-dwelling older persons: a randomized controlled trial." Journal of the American Medical Directors Association 21.2 (2020): 294-e1.

Yu, Ruby, Grace Leung, and Jean Woo. "Randomized controlled trial on the effects of a combined intervention of computerized cognitive training preceded by physical exercise for improving frailty status and cognitive function in older adults." International journal of environmental research and public health 18.4 (2021): 1396.